BENTON COUNTY: Key Data Points

- Benton county's total birth rate ranks slightly lower than the state of Indiana overall, 12.8 versus 13.9 respectively
- The county witnessed 1 infant death for 2004
- The percentage of mothers who smoked during pregnancy is below the state percentage, 16.1% versus 18.5%.
- The percentage of low birth weights is lower than the state percentage, 5.1% versus 7.9% respectively.
- More mothers (4.1% more) in Benton County are utilizing prenatal care during the 1st trimester of pregnancy than the state of Indiana (84.7% versus 80.6%)
- Benton County observed 2 accidental deaths, 1 of them was motor vehicle accident death.

Note: All figures relate to 2004 data from the Indiana State Department of Health, unless otherwise specified

Figure 1: Births

	Total		White		Black		Other	
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
Benton	135	14.8	134	15.0	0	0(U)	1	6.8(U)
County								
INDIANA	87,125	14.0	75,680	13.7	9,582	17.5	1,863	11.7

^{*} births per 1,000 population; U = unstable rate, based on fewer than 20 births

Figure 2: Infant Mortality

I igure 2. Illian								
		NUMBER				RATE*		
COUNTY OF RESIDENCE	REPORTED RACE/ ETHNICITY	Live Births	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths (28-364
	All Races	135	1	1	(28-364 days) 0	**	**	days) 0.0
BENTON	White	134	1	1	0	**	**	0.0
	Black	0	0	0	0	0.0	0.0	0.0
	Other	1	0	0	0	0.0	0.0	0.0
	Hispanic	8	0	0	0	0.0	0.0	0.0
INDIANA	All Races	87,125	702	472	230	8.1	5.4	2.6
INDIANA	White	75,680	522	354	168	6.9	4.7	2.2
	Black	9,582	164	105	59	17.1	11.0	6.2
	Other	1,863	16	13	3	**	**	**
	Hispanic	7,237	65	50	15	9.0	6.9	**

^{*}rate per 1,000 live births **Numerator is less than 20 and the rate is unstable

Figure 3: Outcome Indicators of Mother, by Race


Birth Weigh		/eight			During Pregnancy			
BENTON	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
COUNTY	Births	(< 2500 grams)	(< 1500 grams)	t	Trimester [‡]	Alcohol	Smoked	Parents
White	134	8.2	3.0	8.2	85.8	0.0	24.6	28.4
Black	0	**	**	**	**	**	**	**
All Races	135	8.1	3.0	8.1	85.9	0.0	24.4	28.1

Birth Weight			/eight			During Pi	regnancy	
	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
INDIANA	Births	(< 2500 grams)	(< 1500 grams)	t	Trimester [‡]	Alcohol	Smoked	Parents
All Races	87,125	8.1	1.5	10.2	79.3	0.6	18.0	38.8
White	75,680	7.4	1.3	9.9	80.8	0.6	18.8	34.4
Black	9,582	13.7	3.0	13.9	67.1	0.9	14.4	77.9


[†] Preterm: less than 37 weeks gestation

Figure 4: Breastfeeding

BENTON			
COUNTY	All Races	White	Black
Total Births	135	134	0
Breastfeeding			
on Discharge	85	84	0
%			
Breastfeeding			
on Discharge	63.0	62.7	



INDIANA	All Races	White	Black
Total Births	87,125	75,680	9,582
Breastfeeding on Discharge	55,556	49,825	4,269
% Breastfeeding on Discharge	63.8	65.8	44.6



[‡] PNC: Prenatal Care 'S' Significantly different than the state percent

^{***} Outcomes for this county are suppressed due to 20 or fewer total births

Figure 5: HIV/AIDS

	Total # of AIDS cases reported since 1982	Total # of HIV cases reported since 1985
BENTON	2	3
COUNTY		
INDIANA	7,989	3,945

^{*}numbers current through June 2006

Figure 6: Nutritional Risk Factors by Status,

Indiana WIC Clinics, Quarter Ending 09/30/2004

Local Agency: Community Action Program, Inc. of West Indiana Counties Included: Benton, Fountain, Montgomery, Warren, Vermillion									
		en 1-5 y			%				
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency		
Overweight	44	1	10	0	0	55	5.5 %		
At Risk for becoming Overweight	44	0	5	0	2	51	5.1%		
_	Local Agency: State Wide Counties Included: All Children 1-5 years of Age								
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency		
Overweight	1,732	445	800	12	97	3,086	4.8%		
At Risk for becoming Overweight	2,023	485	639	11	124	3,282	5.1%		

Priority Benchmarks (Benton & Indiana)		
Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.	Benton	Indiana
% of Population enrolled in Medicaid as of June 2003	11.4	12.4
% of Population in Food Stamps Program, 2005	6.3	9.0
Priority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate	Benton	Indiana
Av Total Infant Death Rate (1995-2004)	NS	7.9
Average Fetal Death Rate (1995-2004)	NS	6.6
Priority #2 (reduce barriers): Health Professional Shortage Areas, Percentage of women with prenatal care in first trimester	Benton	Indiana
Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2006)	No Score	NA
% PNC 1st Trimester†, 2004	85.9	79.3
Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning	Benton	Indiana
Prevalence of Asthma in a Medicaid Cohort of Children age 0-17 years, 2003	9.1	10.4
%Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2005-2006	2.42	2.42
riority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking	Benton	Indiana
% of mothers Smoked During Pregnancy, 2004	24.4	18.0
% of Adult Smoking in 2003	25.8	29.3
Priority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).	Benton	Indiana
Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2002-2004)	0	771
Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	692.04	1602.35
Priority #8 (obesity): Obesity in pregnant women	Benton	Indiana
Number of Obese Pregnant Women In Indiana, 2004	5	2,827
Priority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates	Benton	Indiana
Child deaths due to Injury 1-14yrs (2002-2004)	0	279
Child Abuse and Neglect per 1,000 Population under age 18, 2004	10.7	13.5
Priority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of Hispanic Population of any Race, LBW Disparity Ratio	Benton	Indiana
% of Hispanic Population of any Race, 2005	2.8	4.5
Low Birth Weight Disparity Ratio (B/W) (1995-2004)	NS	1.88

Source: Data Analysis Team, ISDH; Health Resources and Service Administration; Indiana Prevention Resource Center; Data analysis team, Office of Medicaid Policy & Planning. Notes: 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test;

%EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each County.